8th Edition of the AJCC cancer staging categories for cancer of the esophagus and esophagogastric junction

Category Criteria

T category

- TX Tumor cannot be assessed
- T0 No evidence of primary tumor
- Tis High-grade dysplasia, defined as malignant cells confined by the basement membrane
- T1 Tumor invades the lamina propria, muscularis mucosae, or submucosa
- T1a Tumor invades the lamina propria or muscularis mucosae
- T1b Tumor invades the submucosa
- T2 Tumor invades the muscularis propria
- T3 Tumor invades adventitia
- T4 Tumor invades adjacent structures
- T4a Tumor invades the pleura, pericardium, azygos vein, diaphragm, or peritoneum
- T4b Tumor invades other adjacent structures, such as aorta, vertebral body, or trachea

N category

- NX Regional lymph nodes cannot be assessed
- N0 No regional lymph node metastasis
- N1 Metastasis in 1–2 regional lymph nodes
- N2 Metastasis in 3–6 regional lymph nodes
- N3 Metastasis in 7 or more regional lymph nodes

M category

- M0 No distant metastasis
- M1 Distant metastasis

Clinical (cTNM) stage groups

| cStage group | сT | cN | сM |
|-------------------------|-------|------|------------|
| Squamous cell carcinoma | | | |
| 0 | Tis | N0 | M0 |
| Ι | T1 | N0-1 | M0 |
| II | T2 | N0-1 | M0 |
| | T3 | N0 | M0 |
| III | T3 | N1 | M0 |
| | T1-3 | N2 | M0 |
| IVA | T4 | N0-2 | M0 |
| | T1-4 | N3 | M0 |
| IVB | T1-4 | N0-3 | M 1 |
| Adenocarcinoma | | | |
| 0 | Tis | N0 | M0 |
| Ι | T1 | N0 | M0 |
| IIA | T1 | N1 | M0 |
| IIB | T2 | N0 | M0 |
| III | T2 | N1 | M0 |
| | T3–4a | N0-1 | M0 |
| IVA | T1–4a | N2 | M0 |
| | T4b | N0-2 | M0 |
| | T1–4 | N3 | M0 |
| IVB | T1-4 | N0-3 | M1 |